Neuroscience Letters, 138 (1992) 295–298
Elsevier Scientific Publishers Ireland Ltd.

AUTHOR INDEX

Abe, H., Watanabe, M., Yamakuni, T., Kuwano, R., Takahashi, Y. and Kondo, H., Localization of gene expression of calbindin in the brain of adult rats, 211
Agnati, L.F., see Zini, I., 279
Akasu, T., see Shoji, S., 291
Anadón, R., see Rodicio, M.C., 19
Arai, N., The role of swollen astrocytes in human brain lesions after edema — an immunohistochemical study using formalin-fixed paraffin-embedded sections, 56
Arai, Y., see Nishizuka, M., 241
Arakawa, O., see Nakahiro, M., 5
Armand, J. and Kably, B., Recovery of distal skills after neonatal lesion of the sensorimotor cortex in the cat, 45
Asanuma, M., Ogawa, N., Hirata, H., Haba, K., Chou, H.-h. and Mori, A., Late onset and long-lasting suppressive effects of ceruletide, an analogue of cholecystokinin, on c-*fos* mRNA expression in the rat striatum, 233

Bahls, F.H., Richmond, J.E., Smith, W.L. and Haydon, P.G., A lipoxygenase pathway of arachidonic acid metabolism mediates FMRFamide activation of a potassium current in an identified neuron of *Helisoma*, *165*
Baldauf, J., see Jurna, I., 77
Barker, J.L., see Vautrin, J., 67
Basbaum, A.I., see Liu, H., 183
Becker, C.-M., see Nicola, M.-A., 173
Belzunegui, T., see Ibañez, J., 199
Bennett, G.J., see Kajander, K.C., 225
Berg-von der Emde, K., see Wolburg, H., 89
Boldry, R.C., Layer, R.T., Wallace, L.J. and Uretsky, N.J., Stimulation of locomotor activity by intra-accumbens AMPA is not inhibited by neonatal 6-hydroxydopamine-induced lesions, 265
Brown, D.A., see Laiwand, R., 221

Cassel, J.C., Kelche, C., Neufang, B., Will, B.E., Herting, G. and Jackisch, R., Graft-derived cholinergic reinnervation of the hippocampus prevents a lasting increase of hippocampal noradrenaline concentration induced by septohippocampal damage in rats, 32
Cazin, L., see Valentijn, J.A., 216
Chong, N.W.S. and Sugden, D., The ontogeny of 2-[^{125}I]iodomelatonin binding sites in chicken brain, 37
Chou, H.-h., see Asanuma, M., 233
Chowdrey, H.S., see Larsen, P.J., 23
Chui, D.-H., see Mizoguchi, K., 157
Cognard, C., see Rivet, M., 97
Colmers, W.F., see McQuiston, A.R., 261
Cross, A.J., see Green, A.R., 141

Davies, J.A., see Dickie, B.G.M., 145
Dawson, N.J., Schmid, H. and Pierau, F.-K., Pre-spinal convergence between thoracic and visceral nerves of the rat, 149
de Miguel, E., see Rodicio, M.C., 19
De Souza, R.J., see Green, A.R., 141
Dichter, M.A., see Frosch, M.P., 59
Dickie, B.G.M., Lewis, M.J. and Davies, J.A., NMDA-induced release of nitric oxide potentiates aspartate overflow from cerebellar slices, 145
Doolette, D.J. and Kerr, D.I.B., Comparison of carbon monoxide and nitrogen induced effects on synaptic transmission in the rat hippocampal slice, 9
Dowdall, M.J., Ellis, J.M., Man, N.t. and Morris, G.E., Immunoreactivity of skate electrocytes towards monoclonal antibodies against human dystrophin and dystrophin-related (DMDL) protein, 27
Duff, R.S., see Hevner, R.F., 188
Duport, G., see Rivet, M., 97

Ellis, J.M., see Dowdall, M.J., 27

Falkenberg, T., Mohammed, A.K., Henriksson, B., Persson, H., Winblad, B. and Lindefors, N., Increased expression of brain-derived neurotrophic factor mRNA in rat hippocampus is associated with improved spatial memory and enriched environment, 153
Frangione, B., see Gardella, J.E., 229
Frank, E., see Mendelson, B., 72
Freund, T.F., see Seress, L., 257
Frosch, M.P. and Dichter, M.A., Non-uniform distribution of GABA activated chloride channels in cultured cortical neurons, 59
Frotscher, M., see Peterson, G.M., 81
Fukata, J., see Fukushima, M., 245
Fukushima, M., Nakai, Y., Tsukada, T., Naito, Y., Nakaishi, S., Tominaga, T., Murakami, N., Kawamura, H., Fukata, J., Ikeda, H., Matsuo, T. and Imura, H., Immunoreactive corticotropin-releasing hormone levels in the hypothalamus of female Wistar fatty rats, 245

Gardella, J.E., Gorgone, G.A., Newman, P., Frangione, B. and Gorevic, P.D., Characterization of Alzheimer amyloid precursor protein transcripts in platelets and megakarocytes, 229
Gibson, G.E., Nielsen, P. and Toral-Barza, L., Synaptosomal plasma and mitochondrial membrane potentials during anoxia, 133
Goh, J.W., Sanches-Vives, M.V. and Pennefather, P.S., Influence of Na/Ca exchange and mobilization of intracellular calcium on the time course of the slow afterhyperpolarization current (I_{AHP}) in bullfrog sympathetic ganglion neurons, 123
Gonzalo, L.M., see Ibañez, J., 199
Gorevic, P.D., see Gardella, J.E., 229
Gorgone, G.A., see Gardella, J.E., 229
Green, A.R., Cross, A.J., Snape, M.F. and De Souza, R.J., The immediate consequences of middle cerebral artery occlusion on GABA synthesis in mouse cortex and cerebellum, 141
Greferath, U., see Müller, F., 179
Grimaldi, R., see Zini, I., 279
Guix, T., Hurd, Y.L. and Ungerstedt, U., Amphetamine enhances extracellular concentrations of dopamine and acetylcholine in dorsolateral striatum and nucleus accumbens of freely moving rats, 137
Gulyás, A.I., see Seress, L., 257

Haba, K., see Asanuma, M., 233
Hara, H., Kuroyanagi, T. and Kobayashi, S., Catecholamine histofluorescence depletion in the infarcted brain parenchyma but not in the adventitia of the occluded cerebral arteries in rats, 93

Hasegawa, H., see Wada, Y., 115
Hatta, K., Yamamoto, T., Hori, T., Okuwa, M. and Moroji, T., Effects of glycine antagonists on Mg^{2+}- and glycine-induced [^{3}H]*N*-(1-[2- thienyl]cyclohexyl)-3,4-piperidine binding, 53
Haydon, P.G., see Bahls, F.H., 165
Henriksson, B., see Falkenberg, T., 153
Henry, J.L., see Yashpal, K., 253
Herrero, M.T., see Ibañez, J., 199
Hertting, G., see Cassel, J.C., 32
Hevner, R.F., Duff, R.S. and Wong-Riley, M.T.T., Coordination of ATP production and consumption in brain: parallel regulation of cytochrome oxidase and Na^+, K^+-ATPase, 188
Hirata, H., see Asanuma, M., 233
Hlavačka, F., Mergner, T. and Schweigart, G., Interaction of vestibular and proprioceptive inputs for human self-motion perception, 161
Hori, T., see Hatta, K., 53
Hurd, Y.L., see Guix, T., 137

Ibañez, J., Herrero, M.T., Insausti, R., Belzunegui, T. and Gonzalo, L.M., Short-term ethanol intoxication in rat. Effect on the entorhinal cortex, 199
Ichikawa, T., Growth of axon collaterals of eclosion hormone neurons into a new release site during metamorphosis of *Bombyx mori*, 14
Ikeda, H., see Fukushima, M., 245
Ikuta, F., see Wakabayashi, K., 237
Imbert, N., see Rivet, M., 97
Imura, H., see Fukushima, M., 245
Insausti, R., see Ibañez, J., 199

Jackisch, R., see Cassel, J.C., 32
Janáky, R., see Varga, V., 270
Jessop, D.S., see Larsen, P.J., 23
Junien, J.-L., see Maurice, T., 63
Jurna, I., Baldauf, J. and Zenz, M., No psychological dependence after oral administration of morphine to rats, 77

Kably, B., see Armand, J., 45
Kajander, K.C., Wakisaka, S. and Bennett, G.J., Spontaneous discharge originates in the dorsal root ganglion at the onset of a painful peripheral neuropathy in the rat, 225
Kamenka, J.-M., see Maurice, T., 63
Kamiya, H., see Yamamoto, C., 111
Kanamatsu, T., see Kurihara, T., 49
Kano, M., see Satoh, R., 249
Kardos, S., see Murphy, S., 275
Kato, H., see Nakata, N., 86
Kato, J., Meguro, K., Sato, A. and Sato, Y., The effects of morphine administered into the vertebral artery on the somatosympathetic A- and C-reflexes in anesthetized cats, 207
Kato, Y., see Nakahiro, M., 5
Kawamura, H., see Fukushima, M., 245
Kelche, C., see Cassel, J.C., 32
Kerr, D.I.B., see Doolette, D.J., 9
Kitajima, S., see Kurihara, T., 49
Kobayashi, S., see Hara, H., 93
Koerber, H.R., see Mendelson, B., 72
Kogure, K., see Nakata, N., 86
Kondo, H., see Abe, H., 211
Kunishita, T., see Mizoguchi, K., 157
Kurihara, T., Tohyama, Y., Yamamoto, J., Kanamatsu, T., Watanabe, R. and Kitajima, S., Origin of brain 2′,3′-cyclic-nucleotide 3′-phosphodiesterase doublet, 49
Kuroyanagi, T., see Hara, H., 93
Kuwano, R., see Abe, H., 211

Laiwand, R. and Brown, D.A., Synapse formation between dissociated basal forebrain neurones and hippocampal cells in culture, 221
Larsen, P.J., Jessop, D.S., Chowdrey, H.S. and Lightman, S.L., Neuropeptide Y messenger ribonucleic acid in the magnocellular hypothalamo-neurohypophysial system of the rat is increased during osmotic stimulation, 23
Layer, R.T., see Boldry, R.C., 265
Lazo, O., see Singh, I., 283
Lewis, M.J., see Dickie, B.G.M., 145
Lichtor, T., Gene expression of apolipoprotein E in human brain tumors, 287
Lightman, S.L., see Larsen, P.J., 23
Lindefors, N., see Falkenberg, T., 153
Liu, H., Llewellyn-Smith, I.J., Pilowsky, P. and Basbaum, A.I., Ultrastructural evidence for GABA-mediated disinhibitory circuits in the spinal cord of the cat, 183
Liu, Y., see Nakata, N., 86
Llewellyn-Smith, I.J., see Liu, H., 183
Louiset, E., see Valentijn, J.A., 216

Man, N.t., see Dowdall, M.J., 27
Mason, I.J. and Mudge, A.W., Onset of CGRP expression and its restriction to a subset of spinal motor neuron pools in the chick embryo is not affected by treatment with curare, 128
Matsuo, T., see Fukushima, M., 245
Maurice, T., Roman, F.J., Pascaud, X., Kamenka, J.-M. and Junien, J.-L., Regional differences in the effect of *N*-[1-(2-benzo[b]thiophenyl)cyclohexyl]piperidine (BTCP) on extracellular dopamine levels: an in vivo microdialysis study, 63
McQuiston, A.R. and Colmers, W.F., Neuropeptide Y does not alter NMDA conductances in CA3 pyramidal neurons: a slice-patch study, 261
Meguro, K., see Kato, J., 207
Mendelson, B., Koerber, H.R. and Frank, E., Development of cutaneous and proprioceptive afferent projections in the chick spinal cord, 72
Mergner, T., see Hlavačka, F., 161
Mizoguchi, K., Kunishita, T., Chui, D.-H. and Tabira, T., Stress induces neuronal death in the hippocampus of castrated rats, 157
Mohammed, A.K., see Falkenberg, T., 153
Mori, A., see Asanuma, M., 233
Moroji, T., see Hatta, K., 53
Morris, G.E., see Dowdall, M.J., 27
Mudge, A.W., see Mason, I.J., 128
Müller, F., Greferath, U., Wässle, H., Wisden, W. and Seeburg, P., Glutamate receptor expression in the rat retina, 179
Murakami, N., see Fukushima, M., 245
Murphy, S., Welk, G. and Kardos, S., Epidermal growth factor induces glucose transport in primary cell cultures derived from human astrocytic glioma biopsies, 275
Murthy, Ch.R.K., see Rao, V.L.R., 107

Naito, Y., see Fukushima, M., 245
Nakabayashi, Y., see Satoh, R., 249
Nakahiro, M., Arakawa, O., Narahashi, T., Ukai, S., Kato, Y., Nishinuma, K. and Nishimura, T., Dimethyl sulfoxide (DMSO) blocks GABA-induced current in rat dorsal root ganglion neurons, 5
Nakai, Y., see Fukushima, M., 245
Nakaishi, S., see Fukushima, M., 245

Nakamura, M., see Wada, Y., 115
Nakanishi, H., see Walsh, E., 103
Nakata, N., Kato, H., Liu, Y. and Kogure, K., Effects of pretreatment with sublethal ischemia on the extracellular glutamate concentrations during secondary ischemia in the gerbil hippocampus evaluated with intracerebral microdialysis, 86
Narahashi, T., see Nakahiro, M., 5
Naujoks-Manteuffel, C., see Wolburg, H., 89
Naumann, T., see Peterson, G.M., 81
Neufang, B., see Cassel, J.C., 32
Newman, P., see Gardella, J.E., 229
Nicola, M.-A., Becker, C.-M. and Triller, A., Development of glycine receptor alpha subunit in cultivated rat spinal neurons: an immunocytochemical study, 173
Nicoll, R.A., see Zalutsky, R.A., 193
Nielsen, P., see Gibson, G.E., 133
Nishimura, T., see Nakahiro, M., 5
Nishinuma, K., see Nakahiro, M., 5
Nishizuka, M. and Arai, Y., Induction by nerve growth factor (NGF) of NGF receptor-like immunoreactivity in the preoptic area and hypothalamus of neonatal rats, 241
Nonaka, K., see Shoji, S., 291

O'Regan, M.H., Simpson, R.E., Perkins, L.M. and Phillis, J.W., The selective A_2 adenosine receptor agonist CGS 21680 enhances excitatory transmitter amino acid release from the ischemic rat cerebral cortex, 169
Obata, K., see Wakabayashi, K., 237
Ogawa, N., see Asanuma, M., 233
Ohno, M., Yamamoto, T., Ueki, S. and Watanabe, S., Protection by *N*-methyl-D-aspartate receptor antagonists against impairment of working memory in rats following transient cerebral ischemia, 1
Oja, S.S., see Varga, V., 270
Okuwa, M., see Hatta, K., 53

Pascaud, X., see Maurice, T., 63
Pennefather, P.S., see Goh, J.W., 123
Perkins, L.M., see O'Regan, M.H., 169
Persson, H., see Falkenberg, T., 153
Peterson, G.M., Naumann, T. and Frotscher, M., Identified septohippocampal neurons survive axotomy: a fine-structural analysis in the rat, 81
Phillis, J.W., see O'Regan, M.H., 169
Pierau, F.-K., see Dawson, N.J., 149
Pilowsky, P., see Liu, H., 183
Pombal, M.A., see Rodicio, M.C., 19

Radpour, S. and Thomson, A.M., Synaptic enhancement induced by NMDA and Q_p receptors and presynaptic activity, 119
Rao, V.L.R. and Murthy, Ch.R.K., Hyperammonemic alterations in the metabolism of glutamate and aspartate in rat cerebellar astrocytes, 107
Raymond, G., see Rivet, M., 97
Ribeiro, J.A., see Sebastião, A.M., 41
Richmond, J.E., see Bahls, F.H., 165
Rideau, Y., see Rivet, M., 97
Rivet, M., Cognard, C., Imbert, N., Rideau, Y., Duport, G. and Raymond, G., A third type of calcium current in cultured human skeletal muscle cells, 97
Rodicio, M.C., de Miguel, E., Pombal, M.A. and Anadón, R., The origin of trochlear motoneurons in the larval sea lamprey, *Petromyzon marinus* L. An HRP study, 19
Roman, F.J., see Maurice, T., 63

Sanches-Vives, M.V., see Goh, J.W., 123
Sato, A., see Kato, J., 207
Sato, Y., see Kato, J., 207
Satoh, R., Nakabayashi, Y. and Kano, M., Chronic treatment with D600 enhances development of sodium channels in cultured chick skeletal muscle cells, 249
Sawada, S., see Yamamoto, C., 111
Schaffner, A.E., see Vautrin, J., 67
Schmid, H., see Dawson, N.J., 149
Schweigart, G., see Hlavačka, F., 161
Sebastião, A.M. and Ribeiro, J.A., Evidence for the presence of excitatory A_2 adenosine receptors in the rat hippocampus, 41
Seeburg, P., see Müller, F., 179
Seress, L., Gulyás, A.I. and Freund, T.F., Pyramidal neurons are immunoreactive for calbindin D_{28k} in the CA1 subfield of the human hippocampus, 257
Shimosaka, S., So, Y.T. and Simon, R.P., Distribution of HSP72 induction and neuronal death following limbic seizures, 202
Shoji, S., Akasu, T. and Nonaka, K., Presynaptic facilitation of excitatory postsynaptic potential by glucagon in neurons of rat ventromedial hypothalamic slices, 291
Simon, R.P., see Shimosaka, S., 202
Simpson, R.E., see O'Regan, M.H., 169
Singh, I. and Lazo, O., Peroxisomal enzyme activities in brain and liver of pups of lactating mothers treated with ciprofibrate, 283
Smith, W.L., see Bahls, F.H., 165
Snape, M.F., see Green, A.R., 141
So, Y.T., see Shimosaka, S., 202
Sugden, D., see Chong, N.W.S., 37

Tabira, T., see Mizoguchi, K., 157
Takahashi, H., see Wakabayashi, K., 237
Takahashi, Y., see Abe, H., 211
Thomson, A.M., see Radpour, S., 119
Tohyama, Y., see Kurihara, T., 49
Tomasi, A., see Zini, I., 279
Tominaga, T., see Fukushima, M., 245
Toral-Barza, L., see Gibson, G.E., 133
Triller, A., see Nicola, M.-A., 173
Tsukada, T., see Fukushima, M., 245

Ueda, Y., see Walsh, E., 103
Ueki, S., see Ohno, M., 1
Ukai, S., see Nakahiro, M., 5
Ungerstedt, U., see Guix, T., 137
Uretsky, N.J., see Boldry, R.C., 265

Valentijn, J.A., Louiset, E., Vaudry, H. and Cazin, L., Voltage-dependent modulation of calcium current by GTPγS and dopamine in cultured frog pituitary melanotrophs, 216
Vannini, V., see Zini, I., 279
Varga, V., Janáky, R. and Oja, S.S., Modulation of glutamate agonist-induced influx of calcium into neurons by γ-L-glutamyl and β-L-aspartyl dipeptides, 270
Vaudry, H., see Valentijn, J.A., 216
Vautrin, J., Schaffner, A.E. and Barker, J.L., Two classes of spontaneous GABA-mediated miniature synaptic currents in cultured rat hippocampal neurons, 67

Wada, Y., Hasegawa, H., Nakamura, M. and Yamaguchi, N.,

Behavioral and electroencephalographic effects of a serotonin receptor agonist (5-methoxy-*N,N*-dimethyltryptamine) in a feline model of photosensitive epilepsy, 115
Wakabayashi, K., Takahashi, H., Obata, K. and Ikuta, F., Immunocytochemical localization of synaptic vesicle-specific protein in Lewy body-containing neurons in Parkinson's disease, 237
Wakisaka, S., see Kajander, K.C., 225
Wallace, L.J., see Boldry, R.C., 265
Walsh, E., Ueda, Y., Nakanishi, H. and Yoshida, K., Neuronal survival and neurite extension supported by astrocytes co-cultured in transwells, 103
Wässle, H., see Müller, F., 179
Watanabe, M., see Abe, H., 211
Watanabe, R., see Kurihara, T., 49
Watanabe, S., see Ohno, M., 1
Welk, G., see Murphy, S., 275
Will, B.E., see Cassel, J.C., 32
Winblad, B., see Falkenberg, T., 153
Wisden, W., see Müller, F., 179
Wolburg, H., Berg-von der Emde, K. and Naujoks-Manteuffel, C., Müller (glial) cells in the retina of urodeles and anurans reveal different morphology by means of freeze-fracturing, 89
Wong-Riley, M.T.T., see Hevner, R.F., 188

Yamaguchi, N., see Wada, Y., 115
Yamakuni, T., see Abe, H., 211
Yamamoto, C., Sawada, S. and Kamiya, H., Enhancement of postsynaptic responsiveness during long-term potentiation of mossy fiber synapses in guinea pig hippocampus, 111
Yamamoto, J., see Kurihara, T., 49
Yamamoto, T., see Ohno, M., 1
Yamamoto, T., see Hatta, K., 53
Yashpal, K. and Henry, J.L., Adenosine receptor link in an adrenal opioid-induced antinociception in the rat tail-flick test, 253
Yoshida, K., see Walsh, E., 103

Zalutsky, R.A. and Nicoll, R.A., Mossy fiber long-term potentiation shows specificity but no apparent cooperativity, 193
Zenz, M., see Jurna, I., 77
Zini, I., Tomasi, A., Grimaldi, R., Vannini, V. and Agnati, L.F., Detection of free radicals during brain ischemia and reperfusion by spin trapping and microdialysis, 279

ANNOUNCEMENTS

The Satellite Symposium of the IXth International Congress of Endocrinology, *Melatonin and the Pineal Gland: From Basic Science to Clinical Application,* will be held in Paris, France, September 6–9, 1992.

Further information: Y. Touitou, Department of Biochemistry, Faculty of Medicine Pitié-Salpêtrière, 91 boulevard de l'Hôpital, 75013, Paris, France.

The International Symposium on Substance P and Related Peptides, *Pain, Inflammation, Visceral and CNS Functions,* will be held in Shizuoka, Japan, November 3–6, 1992.

Further information: Secretariat of SP'92, c/o International Communications, Inc., Kasho Bldg. 2F, 2-14-9 Nihombashi, Chuo-ku, Tokyo 103, Japan.
Tel: (81) 3-3272-7981. Fax: (81) 3-3273-2445.

The international congress *Purines '92: Pharmacology and Clinical Applications* will be held at the University of Milan, Milan, Italy, June 21–24, 1992. Presidents: G.A. Burnstock and R. Paoletti.

Further information: Organizing Secretariat, ALM s.r.l., Via Sigieri 6, 20135 Milan, Italy.
Tel: (39) 2-5465641-2-3. Fax: (39) 2-55187002.